

INSTRUCTIONS - SUPER MAESTRO

PLEASE READ THE LABEL COMPLETELY BEFORE USE

HAZARD CLASSIFICATIONS 6.1D, 6.4A, 6.5B, 9.1A, 9.2A

TOXICITY

WARNING: May be harmful if swallowed, inhaled or absorbed through the skin. May cause eye irritation. May cause sensitisation from prolonged skin contact.

ECOTOXIC

Very toxic to aquatic organisms and to some plant species. Do not apply directly into or onto water.

QUALIFIED HANDLER: This product must be under the control of a suitably qualified handler when mixed, loaded or applied.

HANDLING PRECAUTIONS

STORAGE: Keep out of reach of children. Store in the original, tightly closed container, in a cool, dry and well-ventilated area away from feed or foodstuffs. Avoid temperatures below 5°C and above 35°C. Storage of certain quantities of this product trigger specific storage requirements (Refer to HazNote).

PERSONAL PROTECTION: Avoid contact with eyes and skin. Avoid inhalation of vapour or spray mist. When mixing or applying, wear overalls, chemical resistant boots and gloves, eye protection and respirator (organic vapour and particulate matter). Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

USE: Apply with well-maintained and calibrated spray equipment.

DISPOSAL: Dispose of this product only by using in accordance with this label, or at an approved landfill, or other approved facility. Do not burn. Triple rinse container and add rinsate to the spray tank. Dispose of container to an approved landfill or agricultural recycling scheme. Do not burn. Do not use container for any other purpose.

ENVIRONMENTAL: Use this product carefully. Do not contaminate aquatic environments with product, spray drift or empty container. Spray drift or equipment contamination may cause serious damage to desirable plants. Do not allow spray drift outside the target area to occur.

FIRST AID If swallowed do not induce vomiting. If splashed in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. If rash persists get medical advice. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor immediately for advice.

Registered to:

Shandong Rainbow International Co. Ltd,
19th & 20th Floor, Hanyu Financial Centre, Building A3-4,
No. 7000 East Jingshi Road, Jinan, China 250101

New Zealand Agent:

6 Horlicks Place, Randwick Park,
Auckland 2105
Tel: (021)148 8620

Marketed and Distributed by:

Donaghys Ltd
16 Sheffield Crescent, Harewood,
PO Box 20 499, Christchurch 8543
Tel: 0800 942 006

Batch: RF20RFA2224
D.O.M.: 11/07/2020



DONAGHYS
PERFORMANCE FIRST



INSTRUCTIONS - SUPER MAESTRO

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. For specialist advice in an emergency only, call **0800 CHEMCALL (0800 243 6225)** (24 hrs).

Spillage

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. Absorb spill with inert material such as soil, sand, etc, and place in a waste container. Wash area with water and detergent, and absorb with further inert material. Dispose of safely to an approved landfill.

GENERAL INFORMATION

Super Maestro is an herbicide for the selective pre-emergence control of annual grasses in maize, sweetcorn, asparagus (established), pumpkins and squash.

Weeds controlled: Commonly occurring annual grass weeds including summer grass, barnyard grass, bristle grasses, witch grasses and crowfoot grass.

DIRECTIONS FOR USE

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

RATES AND TIMING OF APPLICATION

Maize and Sweetcorn - annual grasses: 5 litres of Super Maestro in at least 200 litres water per hectare to a freshly prepared seedbed immediately after planting and before crop emergence. Do NOT apply after crop emergence, as scorching can occur and the control of grasses is less effective. Note: The effectiveness of Super Maestro is greatly reduced on peat soils. For the control of annual broadleaf weeds in maize (other than fathen

resistant to triazine herbicides) Atrazine 500g/L SC should be applied as a post emergence spray according to the label directions.

Asparagus (established) - annual grasses: 2.4 litres of Super Maestro in at least 200 litres water per hectare when closing up the beds. Do NOT apply to asparagus during the cutting season.

Pumpkins and Squash - annual grasses: 1 litre Super Maestro in a minimum of 200 litres water per hectare to a freshly prepared seedbed after sowing, but before crop emergence. Do NOT exceed recommended rate of application as crop damage may occur.

MIXING

Pour the required amount of Super Maestro into the partly filled spray tank and add the remainder of the water while agitating.

COMPATIBILITY

Super Maestro is compatible with herbicides commonly used in maize and asparagus.

SOIL CONDITIONS/RAINFALL

Best results will be obtained when application is made to a freshly prepared, fine, moist soil, free of trash, with at least 10 mm of rain within 1 week of application. Under drier soil conditions, 30 mm or more of rain within 2 - 3 weeks is necessary.

SOIL RESIDUES

To minimise soil residues, areas treated with Super Maestro should be deeply cross-cultivated to ensure maximum dispersal of residues. Certain susceptible crops such as ryegrass and some small grain cereals should not be sown in areas which have been treated with Super Maestro in the previous 5 months, without first obtaining advice from your local representative.



INSTRUCTIONS - SUPER MAESTRO

WARRANTY

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, P9113.

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSNO Act 1996, HSR000392.

See www.epa.govt.nz for Controls.

DONAGHYS
PERFORMANCE FIRST

