Premium Bloat

A blended mixture of Alcohol Ethoxylates for drenching and trough treatment as an aid in the prevention of frothy bloat in cattle

Active ingredient: 800g/L Alcohol Ethoxylate Propoxylate



DONAGHYS PREMIUM BLOAT

A blended mixture of Alcohol Ethoxylates for drenching and trough treatment to prevent and control frothy bloat in cows

WARNING

READ LABEL BEFORE USE

HANDLING PRECAUTIONS

Wear protective gear including gloves, protective clothing and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. For animal treatment only.

Directions for use

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Premium bloat treatment is formulated for drenching and trough treatment to prevent and control frothy bloat in cattle

For best results when drenching, Premium Bloat should be diluted, and mixed thoroughly in as much warm or cold water as is practical to give in a drenching.

As a guideline the starting dose should be 5ml per cow before adjusting upward or downward depending on results.

Mild Bloat- Use 5 to 7 ml Premium Bloat per cow per day in the drinking water or diluted as much as is possible to drench.

Moderate Bloat- Use 7 to 10 ml Premium Bloat per cow per day in the drinking water or diluted as much as is possible to drench.

Severe Bloat- Use 10 to 15 ml Premium Bloat per cow per day in the drinking water or diluted as much as is possible to drench.

A low dose of 3 to 4 ml per cow may be sufficient in mild conditions but the farmer must adjust for conditions if they change.

These directions are guidelines only; if control is not achieved increased dosing may be necessary. Do not exceed 25 ml of Premium Bloat at a single drenching, as this may be detrimental to the health of the cow.

Traces of Detergent – bloat based remedies may be toxic to calves especially pre-weaning. Wash mixing buckets and containers thoroughly before reusing.

HAZARD STATEMENTS

Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. Hazardous to terrestrial vertebrates.

STORAGE

Keep only in original container, tightly closed, away from foodstuffs. If required, store in corrosive resistant container with a resistant inner liner. Keep out of direct sunlight. Store locked up in a cool place.

DISPOSAL

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Dispose of this material and its container to a hazardous or special waste collection point. Avoid release to the environment. Absorb spillage to prevent material damage.

FIRST AID

If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and then drink plenty of water. Call a POISON CENTRE or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call the POISON CENTRE or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin and/or hair with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice.

National Poisons Centre 24 hour phone: 0800 POISON (0800 764 766)

ZPAAPM730 FEB25 PN-036860-1 VER 2



MANUFACTURED AND REGISTERED TO
DONAGHYS LTD
16 SHEFFIELD CRESCENT
P.O. BOX 20 449, HAREWOOD, CHRISTCHURCH
FREEPHONE: 0800 942 006, WWW.DONAGHYS.COM
REGISTERED PURSUANT TO THE ACVM ACT 1997 NO. A009276
SEE WWW.FOODSAFETY.GOVT.NZ FOR REGISTRATION CONDITIONS





