



Date: 08/08/2023 Donaghys Broadleaf Kill 2,4-D Amine Page 1 of 9

Section 1 - Identification of the substance/preparation and the company

Product Name: Donaghys Broadleaf Kill 2,4-D Amine

Company: Donaghys Ltd.

Address: 16 Sheffield Crescent

PO Box 20 449 Christchurch

Telephone Number: NZ 0800 942 006

Recommended Use: Selective herbicide

Emergency Contact 0800 764 766 (National Poisons Centre)

Section 2 - Hazard Identification

Classified as hazardous according to criteria in the Hazardous Substances (minimum degrees of hazards) Regulations 2001

EPA NZ Approval Code: HSR000607

HSNO Classification

| | Hazard Classes: | 6.1E, 6.4A, 6.9A, 9.1A, 9.2A, 9.3B | | | |
|-------------------|-----------------|---|--|--|--|
| | 6.1E | Substances that are acutely toxic – may be harmful, aspiration hazard | | | |
| V | 6.4A | Substances that are irritating to the eye | | | |
| | 6.9A | Substances that are harmful to human target organs or systems | | | |
| ^ | 9.1A | Substances that are very ecotoxic in the aquatic environment | | | |
| *** | 9.2A | Substances that are very ecotoxic in the soil environment | | | |
| | 9.3B | Substances that are ecotoxic to terrestrial vertebrates | | | |
| Hazard Statements | | | | | |

| H303 | May be harmful if swallowed |
|----------|---|
| H304 | May be harmful is swallowed and enters airways |
| H313 | May be harmful if in contact with skin |
| H319 | Causes serious eye irritation |
| H333 | Harmful if inhaled |
| H370 | Causes damage to organs |
| H400/410 | Very toxic to aquatic life with long last effects |
| H421 | Very toxic to the soil environment |





| Date: 08/08/2023 | Donaghys Broadleaf Kill 2,4-D Amine Page | 2 of 9 | | |
|--|---|--------|--|--|
| | | | | |
| H433 | Harmful to terrestrial vertebrates | | | |
| | Prevention Statements (for more information see section 7) | | | |
| P102 | Keep out of reach of children | | | |
| P103 | Read Label before use | | | |
| P260 | Do not breath dust, mist, or spray | | | |
| P264 | Wash hands thoroughly after using | | | |
| P270 | Do not eat, drink, vape or smoke when using this product | | | |
| P273 | Avoid release to the environment | | | |
| P280 | Wear protective nitrile rubber gloves, protective overalls, chemical resistant sa glasses or full face protection | fety | | |
| P281 | Use personal protective equipment as required | | | |
| Response Statements (for more information see section 4) | | | | |
| P101 | If medical advice is needed, have product container or label at hand | | | |
| P314 | Get medical attention is you feel unwell (see section 4) | | | |
| P322 | Specific first aid – see section 4 | | | |
| P330 | Rinse mouth is ingested – see section 4 | | | |
| P363 | Wash contaminated clothing before reuse | | | |
| P301+312 | If swallowed – call 0800 764 766 (national poison centre) | | | |
| P304+340 | If inhaled – Remove to fresh air and keep at rest in a position comfortable for breathing | | | |
| P302+352 | If on skin – wash with plenty of soap and water | | | |

Section 3 – Composition Information

| Chemical | CAS No. | Content |
|---|-----------|-----------------------|
| 2,4-D dichlorophenoxyacetic acid (2,4-D Acid) | 2569-01-9 | 400 g L ⁻¹ |
| Triethanolamine | 102-71-6 | 340 a L ⁻¹ |

Balance made up of non-hazardous material (ERMA New Zealand User Guide to the Thresholds and Classifications)





Date: 08/08/2023 Donaghys Broadleaf Kill 2,4-D Amine Page 3 of 9

Section 4 - First Aid Measures

General Never give anything by mouth to an unconscious person.

Keep label or packaging available for emergency personal.

Show this SDS to emergency personal if requested

If Swallowed: DO NOT induce vomiting. Have person sip a glass of water if able to

swallow. Get medical advice/attention immediately.

If in eyes: Rinse cautiously with water for 15-20 minutes. Remove contact

lenses, if present and easy to do so. Continue rinsing. Contact the

national POISON CENTRE or medical practitioner.

If on skin: Wash with plenty of soap and water. Wash contaminated clothing

before reuse. Contact a medical practitioner if symptoms persist.

If inhaled: Remove to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention. If person is not breathing,

call 111 and request an ambulance.

Advice for medical

personal

Treat according to symptoms. There are no specific antidotes

POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)

Section 5 - Fire-fighting Measures

Flashpoint: Not flammable (tested to 200 °C)

Combustion Products: May give off toxic nitrogen oxides, and hydrogen chloride in a fire

Flammability Limits: Not available

Protective Equipment: Self-contained breathing apparatus, protective gloves and clothing

Extinguishing Media: Water fog, Foam, carbon dioxide, dry chemicals

HazChem Code 2Z

Special Fire Fighting

Methods:

Prevent run off entering waterways





Date: 08/08/2023 Donaghys Broadleaf Kill 2,4-D Amine Page 4 of 9

Section 6 - Accidental Release Measures

Small Spill (non-emergency personal)

Spills and Disposal: Absorb spill with an inert material and place in suitable labeled

container. We recommend kitty litter. For final cleaning up, a detergent

based solvent may be required.

Protective Equipment: Wear protective nitrile rubber gloves, face/eye protection and

appropriate half-mask respirator (see section 8).

Environmental Avoid entry into waterways or streams. Prevent washings from

Precautions: entering waterways by damming or covering drain entrances, if safe to

do so.

Large Spill (emergency personal)

Spills and Disposal: Absorb spill with an inert material and place in suitable labeled

container. We recommend kitty litter. For final cleaning up, a detergent

based solvent may be required.

Protective Equipment: Wear protective nitrile rubber gloves, face/eye protection and

appropriate half-mask respirator (see section 8).

Environmental Avoid entry into waterways or streams. Prevent washings from

Precautions: entering waterways by damming or covering drain entrances, if safe to

do so.

Prevention Level 1 emergency management plans need to be in place for

quantities between 0.1 and 5 L

Level 2 emergency management plans need to be in place for all

workplaces and or quantities between 5 L and 100 L

Level 3 emergency management plans need to be in place for

quantities above 100 L

See Hazardous Substances (Emergency Management) Regulations 2001

Section 7- Handling and Storage

Storage: Store out of direct sunlight.

Keep out of reach of children. Do not store near waterways.

Do not store where damage may occur.

Handling: Do not handle until all safety instructions have been read and

understood.

Wear eye / face protection.

In case of inadequate ventilation wear respiratory protection. Contaminated work clothing should not be allowed out of the

workplace.

Avoid unintended release to the environment.

IN CASE OF EMERGENCY PHONE National Poisons Centre 0800 POISON (0800 764 766)





Donaghys Broadleaf Kill 2,4-D Amine Date: 08/08/2023 Page 5 of 9

Approved Handler This hazardous substance must be under the personal control of

and approved handler when the substance is applied in a wide

dispersive manner; or used by a commercial contractor.

For more information see Regulations 4-6 Hazardous substances

(Personnel Qualifications) Regulations 2001.

Tracking regulations: Do not apply

Record Keeping Records of use as described in NZS 8409 Management of

> Agrichemicals must be kept where more than 3 kg of this product is used within 24 hours in a place where pesticide is likely to enter air

or water and leave the application area.

Section 8 - Exposure Controls/Personal Protection

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

Workplace exposure - Time weighted average (TWA) 10 mg/m³ **Exposure Limits:**

Tolerable Exposure Limits: (TEL): Not Available

Environmental Exposure Limits (EEL): Not available

Protective Observe good work place practices and avoid contact with skin and **Equipment:**

eyes. To protect your skin and eyes, wear protective overalls, chemical resistant safety glasses and nitrile rubber gloves when handling. Wear eye / face protection. In case of inadequate ventilation, wear half mask filter respiration unit suitable for dust.

Gloves

Wear nitrile rubber gloves with a minimum layer thickness of 0.11 mm. Break through time: 480 min This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any

specific use scenario. Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate

government standards

Hygiene Do not eat, drink or smoke when using this product. Be careful not to

Precautions: contaminate yourself when removing contaminated clothing.

Engineering Handle in well ventilated area. Use process enclosures, local exhaust Controls:

ventilation, or other engineering controls to keep airborne levels

below exposure limits. Avoid inhalation of dust.

Section 9 - Physical and Chemical Properties

Appearance: Creamy yellow liquid

Odour Slight phenolic/ammonical odour

pH: 7.5-9.5





Date: 08/08/2023 Donaghys Broadleaf Kill 2,4-D Amine Page 6 of 9

Vapour Pressure: 1.40 \times 10-7 mm Hg at 20 °C (2,4-D)

3.59X10-6 mm Hg at 25 °C

Vapour Density Not available

Boiling Point: 160 °C at 4 mm Hg (2,4-D)

350 °C at 4 mm Hg (Triethanolamine)

Freezing/Melting point 138 °C (2,4-D)

21.5 °C at 4 mm Hg (Triethanolamine)

Flash Point: Not available

Solubility: Miscible in water (2,4-D 677 ppm at 25 °C)

Specific Gravity: 1.10-1.30 (mixture)
Dissociation Constant (p K_a) 2.73 (2,4-D)

7.76 (Triethanolamine)

Section 10 - Stability and Reactivity

Stability: Stable under normal ambient and anticipated storage

and handling conditions of temperature and pressure.

Conditions to Avoid: Avoid direct sunlight, avoid generation of dust and

excessive heat

Materials to Avoid: Incompatible with acids and oxidizing agents

Hazardous Decomposition May give off toxic nitrogen oxides, and hydrogen

Products: chloride in a fire

Section 11 - Toxicological Information

Oral LD₅₀: Rat > 3000 mg kg⁻¹

The ingestion of several ounces of triethanolamine can probably be tolerated by man, but unless the liquid is partly neutralized with acid, alkali burns of the mouth, pharynx and

esophagus are likely.

Inhalation LC₅₀: Rat > 5.8 mg L⁻¹

Dermal: Triethanolamine has been identified as causing allergic

contact dermatitis, erythematous vesicular lesions, eczema, contact dermatitis, and irritation in workers exposed to

triethanolamine in their occupations.

2,4-D contact with the skin may cause a rash prolonged

exposure can cause dermatitis.

Ocular: Mild irritation

Carcinogenicity: Consensus from Worksafe is that 2,4-D does not cause

cancer

Triethanolamine is not classifiable as to its carcinogenicity to

humans

Reproductive toxicity No conclusive evidence

Genotoxicity Not genotoxic.

Neurotoxicity No subchronic neurotoxicity.

No neurodevelopmental toxicity.

IN CASE OF EMERGENCY PHONE National Poisons Centre 0800 POISON (0800 764 766)





Date: 08/08/2023

Donaghys Broadleaf Kill 2,4-D Amine

Page 7 of 9

Section 12 - Ecological Information

EPA Classification: 9.1A, 9.2A, 9.3C

Aquatic toxicity: Very toxic to the aquatic environment

Vertebrate toxicity
Substances that are ecotoxic to terrestrial vertebrates
Substances that are ecotoxic to terrestrial invertebrates
Substances that are very ecotoxic in the soil environment

Bioaccumulation No evidence

Atmospheric toxicity Rapidly degrades in the atmosphere

General 2,4-D should not be used if there is a risk to bees and a risk of run

off into waterways.

Section 13 - Disposal Considerations

Product Disposal: When empty, triple rinse container and add residues to spray tank.

Dispose of empty container at an approved landfill or other approved facility. Avoid contamination of any water supply with product or empty

container. Do not re-use container

Section 14 - Transport Information

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S

(Contains 2,4-D))

UN Number: 3082

DG Class: 9

Subsidiary Risk Class: N/A

Packing Group:

HAZCHEM Code: 2Z

Section 15 - Regulatory Information

EPA NZ Registration Code: HSR000607
ACVM Approval Number: P007647

Approved handler: This hazardous substance must be under the personal

control of and approved handler when the substance is applied in a wide dispersive manner; or used by a

commercial contractor.

For more information see Regulations 4-6 Hazardous substances (Personnel Qualifications) Regulations 2001.

IN CASE OF EMERGENCY PHONE
National Poisons Centre 0800 POISON (0800 764 766)





Date: 08/08/2023

Donaghys Broadleaf Kill 2,4-D Amine

Page 8 of 9

Tracking requirements:

Not required





Date: 08/08/2023

Donaghys Broadleaf Kill 2,4-D Amine

Page 9 of 9

Section 16 – Other Information

The information in this SDS is provided in good faith, but no warranty, expressed or implied is made. Contact Donaghys Ltd for more information.

POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)