

KEEP OUT OF REACH OF CHILDREN

WARNING

**DONAGHYS**

# Brushweed Kill *TRIPIC*

Herbicide for the control of gorse, blackberry, lupin, sweet briar, matagouri, barberry and other brushweeds.

Active Ingredient: Contains 300g/L triclopyr as the butoxyethyl ester and 100g/L picloram as the triisopropanolamine salt in the form of an emulsifiable concentrate. Also contains 460g/L diethylene glycol solvent.



**DONAGHYS**  
PERFORMANCE FIRST

## INSTRUCTIONS – BRUSHWEED Kill TRIPIC

## WARNING

### DIRECTIONS FOR USE – READ ENTIRE BOOKLET BEFORE USING

ACTIVE INGREDIENT: contains 300g/litre triclopyr as the butoxyethyl ester and 100g/litre picloram as the trisopropanolamine salt in the form of an emulsifiable concentrate. Also contains 460g/litre diethylene glycol solvent.

### GENERAL INFORMATION:

- Donaghys Brushweed Kill TRIPIC is a broadleaf herbicide for the control of various woody and semi-woody brushweeds.
- **Plant Safety:** Donaghys Brushweed Kill TRIPIC is injurious to legumes including clover. Residues in the soil may prevent early reestablishment following treatment.
- **Compatibility:** Donaghys Brushweed Kill TRIPIC is compatible with most commonly-used herbicides.
- **Withholding period:** Poisonous plants may become more palatable after spraying. Livestock should be kept out of treated areas until plants have died down.

### MIXING:

- Half fill spray tank with clean water, add required amount of Donaghys Brushweed Kill TRIPIC then fill with clean water. A surfactant, such as Donaghys Wetter-Sticker, may be added at this stage at label specified rates to increase rate of uptake.
- Agitate well before spraying.
- When tank mixing with other chemicals, add Donaghys Brushweed Kill TRIPIC after other water soluble products, but before flowables.

### EQUIPMENT:

- Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).
- All spray equipment including pumps, spray tanks, lines and nozzles, and landing gear (aircraft) should be thoroughly washed with water after each day of spraying, preferably with a chemical residue remover.
- Plants particularly susceptible to Donaghys Brushweed Kill TRIPIC 300 include beans, clovers, lucerne, lupins, peas and other legumes, flowers, fruit trees, hops, ornamentals, shade trees, potatoes, sunflowers, tomatoes, vegetables and vines.

**APPLICATION:** Refer to page 1 on inside pages.

**USE SITUATIONS:** Refer to table 1 on inside pages.

**SHELF LIFE:** When stored appropriately this product should not show significant degradation for 2 years from the date of manufacture. For further information please contact your supplier.

### IMPORTANT NOTICE - CONDITIONS OF SALE

#### ACCEPTANCE AND USE OF THIS PRODUCT WILL BE DEEMED TO BE ACCEPTANCE OF THESE CONDITIONS OF SALE.

Results from the use of this product may be affected by factors beyond Donaghys control. These factors include but are not limited to mixing, use, time of application, weather, crop, crop lifecycle and resistance to the active ingredient, even though the product is reasonably fit for its stated purpose and label directions have been followed. Donaghys will replace any defective product free of charge, but to the extent permitted by law all other warranties, representations, conditions or obligations whether imposed or implied by law or otherwise, and the manufacturer's and supplier's liability for any indirect special or consequential losses or damages of any kind arising out of the supply and/or use of this product, including where it arises out of negligence, are expressly excluded. **IN ANY EVENT, TO THE EXTENT PERMITTED BY LAW, THE MANUFACTURER'S AND SUPPLIER'S LIABILITY ARISING OUT OF THE SUPPLY AND OR USE OF THIS PRODUCT IS LIMITED TO THE AMOUNT PAID FOR THE SPECIFIC PRODUCT.**

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (contains Triclopyr and Picloram)  
UN number: 3082 DG Class: 9 Packaging Group: III

Registered pursuant to the ACVM Act 1997, No P007978  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.  
Approved pursuant to HSNO Act 1996, Approval No. HSR002485  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

**FOR FULL HAZARD AND SAFETY INFORMATION refer to page 4**

ZPLAB802 MAR25  
PN-032276-1VER.2

**DONAGHYS**  
PERFORMANCE FIRST

REGISTERED TO AND MANUFACTURED BY:  
DONAGHYS LTD.  
16 SHEFFIELD CRESCENT,  
PO BOX 20 449, CHRISTCHURCH.  
FREEPHONE: 0800 942 006, [WWW.DONAGHYS.COM](http://WWW.DONAGHYS.COM)



## APPLICATION

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**Aerial equipment:** Donaghys Brushweed Kill TRIPIC can be applied by aircraft in spray volumes of 200-400 litres diluted product per hectare. Increase spray volumes in hilly terrain to ensure maximum target contact. Apply with calibrated aircraft using the half overlap-pass technique. Follow up with ground spraying may be required.

**Handgun and Knapsack:** Ensure a fine spray pattern to give complete coverage. Use the minimum volume necessary to give complete and uniform coverage. Refer to weed control tables for use rates. For handgun spraying, use a number 6-8 nozzle tip at 1000-2000kPa (150-300psi) pressure.

**Mistblower:** Use 100mL Donaghys Brushweed Kill TRIPIC per 10 litres. For ULV applications, use 500mL per 10 litres. Ensure full coverage of leaf and stems.

**Stump Swabbing:** Mix only enough for immediate use, mixing 1 part Donaghys Brushweed Kill TRIPIC with 20 parts water or diesel (maintain thorough agitation throughout). Liberally coat freshly cut surfaces and stems to ground level.

## TABLE 1 - USE SITUATIONS

WEED	RATE – GUN. mL/100L water	RATE - AERIAL Litre/ha	CRITICAL COMMENTS
<b>Blackberry</b>	500 – 650	10	Treat weeds in Summer and Autumn (during active growing period). Use high rates for the control of hard-grazed and lower growing types common to Northland and NI East Coast. Some areas of Northland may contain difficult-to-kill species, and application may have variable results.
<b>Broom</b>	250	10	Spray from Spring until early Summer while leaf is present. Control is best on small bushes less than 3m high, with stems less than 3cm in diameter. Hard grazed or scattered bush should be ground sprayed.
<b>Gorse</b>	250	10	Ground: During periods where growth is slow or gorse is dormant or stressed, apply with 100mL/100L Donaghys Wetter Sticker. In North Canterbury apply Donaghys Brushweed Kill TRIPIC at 300mL/100L with 100mL/100L Donaghys Wetter Sticker. Follow-up treatment may be necessary for complete control.  Aerial: Apply with Donaghys Wetter Sticker at 2L/ha, during active growth. Control is best on small bushes less than 3m high with stems less than 3cm in diameter. Hard grazed or scattered bushes should not be treated from the air.
<b>Lupin</b>	100	2	
<b>Matagouri</b>	500	12	Best results are achieved in November/December after good moist spring growing conditions, when in full flower. Control may be reduced in dry conditions or when lichen is present on bark.
<b>Sweet Brier</b>	300 – 500	12	Best results are achieved in November to early January, during leaf emergence and green hip stage.
<b>Tutu</b>	300	10	Apply to fresh regrowth and after frond expansion.
<b>Woolly Nightshade</b>	250	10	Apply during active growth period. Add 100mL/100L Donaghys Wetter Sticker for best results.
<b>Other Weeds</b>	250	10	(E.g. Ragwort, Fennel, Nettle, Inkweed and Thistles)



# Brushweed Kill *TRIPIC*

# WARNING

## APPROVED HANDLER

### HAZARD STATEMENTS

WARNING: Read label before use. Harmful if swallowed. Causes serious eye irritation. May cause allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

**PERSONAL PROTECTION:** Wear protective gloves, clothing and eye/face protection when using this product. Keep away from heat and flames. Avoid breathing spray. Use only outdoors in a well-ventilated area. Wash hands thoroughly after handling. Do not eat, drink or smoke whilst using this product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

**STORAGE:** Store in original container tightly closed and in a locked, dry, cool, well-ventilated area, away from foodstuffs. Storage of certain quantities of this product trigger certain requirements (refer to HazNote). When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact the proprietor for further information about the use of this product if it is older than this.

**SPILLS AND DISPOSAL:** When dealing with spills wear personal protective clothing and equipment. Contain and collect spillage, absorb with suitable inert absorbent material and store in properly labelled, sealed drums for safe disposal. If spray mixture is spilled absorb and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

**PRODUCT DISPOSAL:** If possible dispose of the product by using according to the label, otherwise dispose of in an approved landfill or bury below 50 cm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

**CONTAINER DISPOSAL:** Triple rinse container and add residue to mixture. If circumstances permit, especially wind direction, the empty containers may be burned, otherwise bury in a suitable land fill.

**ENVIRONMENT:** Very toxic to aquatic life with long lasting effects. Hazardous to soil organisms. Hazardous to terrestrial vertebrates. Avoid release to the environment. Collect spillage. Handle and apply with care, spray drift may cause severe damage to desirable plants.

**SAFETY DATA SHEET:** A safety data sheet is available from Donaghys Ltd. Visit [www.donaghys.com](http://www.donaghys.com), or call customer service Toll Free on 0800 942 006

## FIRST AID:

Call a **POISON CENTRE (0800 764 766)** or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

**IF SWALLOWED:** Do NOT induce vomiting. Rinse mouth thoroughly. If exposed or if you feel unwell, get medical advice or attention.

**IF INHALED:** Remove to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms develop, get medical advice or attention.

**IF IN EYES:** Rinse eyes cautiously for 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If irritation persists get medical advice or attention.

**IF ON SKIN:** Remove and wash contaminated clothing. Wash affected areas thoroughly with soap and water. If skin irritation persists or rash occurs, get medical advice or attention.

Registered pursuant to the ACVM Act 1997, No P007978. See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

Approved pursuant to HSNO Act 1996, Approval No. HSR002485. See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Contains Triclopyr and Picloram).

**DONAGHYS**  
PERFORMANCE FIRST

REGISTERED TO AND MANUFACTURED BY:  
DONAGHYS LTD.  
16 SHEFFIELD CRESCENT,  
PO BOX 20 449, CHRISTCHURCH.  
FREEPHONE: 0800 942 006, [WWW.DONAGHYS.COM](http://WWW.DONAGHYS.COM)

