

FOR ANIMAL TREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

DONAGHYS Cobalt

Dairy cattle mineral supplement



Cobalt is an essential component of Vitamin B12 and thus is a key contributor to energy levels in the dairy cow. Overcoming low Cobalt levels can assist with:

- General good thrift
- Improved milk production
- Improved appetite
- Improved fertility

8.5mg/ml

DONAGHYS
PERFORMANCE FIRST



Donaghys Cobalt

Help your cows achieve a higher level of performance with Cobalt, the dairy cow liquid mineral supplement!

READ LABEL BEFORE USE

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

- Wear protective gloves, protective clothing, eye and face protection
- Use personal protective equipment as required
- Wash hands thoroughly after handling
- Avoid breathing mist/vapours/spray
- Do not eat, drink or smoke when using this product
- Contaminated work clothing should not be allowed out of the workplace
- Avoid release to the environment
- Collect spillage

DIRECTIONS

Only for use when there is a confirmed Cobalt deficiency.

Ready to use liquid no dilution required.

DONAGHYS COBALT DOSE RATE

DO NOT EXCEED THE STATED DOSE RATE AND FREQUENCY

Through water supply

Can be added to drinking water via dispenser.

Administer to cattle daily at the following rate:

15ml per 100 animals per day.

Do not exceed dose rate of 2ml per animal per day.

Oral drenching

Administer orally to cattle at the following rate:

15ml per 100 animals per day.

Do not exceed dose rate of 2ml per animal per day.

Foliar application

Apply in a minimum of 200 litres water per hectare.

Pasture Spraying: 1.5 to 2.5 litres per hectare

ideally 4 days to 2 weeks prior to grazing.

Repeat after 6 weeks as required.

Treat approximately 1 hectare per 50 animals.

Supplementary feed

Apply to cattle supplementary feed daily at the following rate:

15ml per 100 animals per day.

Do not exceed 2ml per animal.

STORAGE

- Keep container closed. Store locked up in a cool place out of direct sunlight.

FIRST AID

Ingestion: Rinse mouth with water. Give water to drink, if vomiting occurs give more water. Seek urgent medical advice.

Eye contact: Flush eye with water for 15 to 30 minutes. Seek medical attention urgently.

Skin contact: Remove contaminated clothing and wash skin with soap and water. If symptoms persist, seek medical advice. Wash clothing before re-use. Is skin irritation occurs: Get medical advice/attention.

Inhalation: Remove individual from exposure, allow to rest in fresh air. Seek medical attention.

If exposed or concerned, get medical advice.

National Poisons Centre 24 Hour Phone:
0800 POISON (0800 764 766)

HAZARDOUS SUBSTANCES CLASSIFICATION

WARNING

6.3 B: Causes mild skin irritation.

6.5 B: May cause allergic skin reaction.

6.8 B: Suspected of damaging human fertility or the unborn child.

6.9 B: May cause damage to organs through prolonged or repeated exposure.

9.1 B: Toxic to aquatic life with long lasting effects.

Dispose of this product and its container in accordance with regional environmental regulations.



ZPAAPM795 JUN21 PN-023106-1

DONAGHYS
PERFORMANCE FIRST

MANUFACTURED AND SOLD BY:
DONAGHYS LTD
16 SHEFFIELD CRESCENT
PO BOX 20 449, HAREWOOD, CHRISTCHURCH
FREEPHONE: 0800 942 006 WWW.DONAGHYS.COM

