DANGER. FOR ANIMAL TREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

# DONAGHYS DairyMin® 5 Chelate

Essential trace elements for production and performance

For dairy cows from pre-calving through lactation.

Liquid mineral supplement with Zinc, Copper, Cobalt, Iodine, Selenium.





## DairyMin® 5 Chelate. Be sure your cows get full use of their minerals.

DairyMin<sup>®</sup> 5 Chelate liquid mineral supplement avoids mineral loss before absorption by the cow.

### **INDICATIONS**

This product is designed specifically for dairy cows, formulated to include the following mineral levels:

	mg per 4ml dose	mg per ml		mg per 4ml dose	mg per ml
Zinc	100	25	Cobalt	2.0	0.50
Copper	200	50	Selenium	5.0	1.25
lodine	10	2.5			

### **DOSE RATES**

Administer DairyMin® 5 Chelate at 4ml per cow per day, from approximately one month prior to calving through to the end of mating. Depending on individual herd nutritional requirements, DairyMin® 5 Chelate may be continued post-mating through lactation.

SHAKE or STIR well before administering through a calibrated dispensing system.

FOR DAIRY COW USE ONLY. DO NOT ALLOW SHEEP OR GOATS TO INGEST THIS PRODUCT.

DO NOT EXCEED THE STATED DOSE AND FREQUENCY EXCEPT UNDER ADVICE FROM VETERINARIAN OR NUTRITIONAL ADVISOR.

### **CAUTION**

DairyMin® 5 Chelate is a high mineral content product. The following cautions are advised:

- Do not give this product to cows with liver damage.
- Do not use where the domestic house water supply is directly connected to the farm water trough system.
- Do not use at the same time as other supplements or fertilisers which contain Copper or Selenium, without the advice of a veterinarian.

### **HANDLING**

Read label before use. Keep out of reach of children. Avoid breathing mist/vapour/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Collect spillage.

### **FIRST AID**

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**IF INHALED:** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.

**IF exposed or unwell:** Call a POSION CENTRE or doctor/physician.

National Poisons Centre 24 Hour Phone: 0800 POISON (0800 764 766)

### **STORAGE**

Store locked up with container tightly closed. Store out of direct sunlight.

### **DISPOSAL**

Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations.

### **DANGER:**

NOT FOR HUMAN CONSUMPTION KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY

National Poisons Centre 24 Hour Phone: 0800 POISON (0800 764 766)

# HAZARDOUS SUBSTANCES CLASSIFICATION

Accute oral toxicity Category 4
Respiratory sensitisation Category 1
Specific target organ toxicity - repeated exposure Category 2

Serious eye damage Category 1

Hazardous to the aquatic environment chronic Category 1

Hazardous to soil organisms

Hazardous to terrestrial vertebrates

ZPLAB788 MAR24 PN-033198-1 VER2



MANUFACTURED BY DONAGHYS LTD.
16 SHEFFIELD CRESCENT, CHRISTCHURCH,
NEW ZEALAND.
FREEPHONE: 0800 942 006
WWW.DONAGHYS.COM









