



# **Donaghys Acetochlor 840**

For the selective pre-emergence control of annual grasses and many broadleaf weeds in grain, silage maize and sweetcorn.

**Active Ingredient:** Contains 840g/L Acetochlor in the form of an emulsifiable concentrate.

- Provides up to 10-12 weeks residual control of annual and broadleaf weeds.
- Is applied directly after planting and is then absorbed through the shoots of emerging weeds, causing death.



#### Weeds controlled

Commonly occurring annual grass weeds including; summer grass, barnyard grass, bristle grass, green bristle grass, seedling Johnson grass, smooth witch grass, and witch-grass.

Broadleaf weeds include; amaranthus spp, black nightshade, chickweed, redroot, Scotch thistle, seedling dock, Sheperd's purse, stinking mayweed, twin cress.

The following weeds are only moderately susceptible; cornbind, fat hen, field pansy, furnitory, spurrey, wild radish, willow weed, wireweed.

### Grain Maize, silage Maize and Sweetcorn application

Apply 2.5 - 3.0L in at least 200L of water per hectare to a freshly prepared seedbed immediately after planting and before crop emergence. Use higher rate in clay soils and those with higher organic matter.

If desired, Atrazine may be added to the tank mix to improve the spectrum of activity. Alternatively Atrazine or Dicamba may be applied as directed as a follow up post emergence treatment. NOTE: Dicamba is not recommended for the use of sweetcorn.

Peat Soils: Cultivate soil before establishing pasture if Donaghys Acetochlor 840 has been applied to the previous crop.

# **Time of Application**

- Best results will be obtained when application is made to a freshly prepared, fine, moist soil, free of trash, with at least 10mm of rain within 1 week of application.
- Under drier soil conditions, 30mm of rain within 2-3 weeks is necessary. Application by pre-plant incorporation may be beneficial under very dry conditions.

#### Mixing

Pour the required amount of Acetochlor 840 into the partly filled spray tank and add the remainder of the water while agitating. Agitate thoroughly before and during spraying and before spraying after a stoppage.

## Soil residues

Under normal use, soil residues should not carry over to successive crops. In a replant situation when the previous Acetochlor 840 treated crop may have failed for whatever reason, contact your Donaghys Territory Manager for advice before replanting.

Code	Product	Unit	Qty. per unit	Barcode
AGA0020	ACETOCHLOR 840 20L	EACH	1	9400579552534
AGA0200	ACETOCHLOR 840 200L	EACH	1	9400579552541

Registered pursuant to the ACVM Act 1997 No. P8670

Refer to product label for complete usage, safety and product information before use.