



Revision: 19-09-18
Original: 19-09-17

Donaghys Ethos

Page 1 of 6

Section 1 - Identification of the substance/preparation and the company

Product Name Donaghys Ethos
Company Donaghys LTD

16 Sheffield Crescent

Address PO Box 20 449

Christchurch

Telephone Number NZ 0800 942 006 or AUS 1800 644 404

Donaghys Ethos is an early poet-emergence herbicide for

Recommended Use the control of Barley grass in pastures, grass weeds in

ryegrass turf and for pre-and early emergence weed

control in red beet.

Emergency Contact 0800 764 766 (National Poisons Centre)

Section 2 - Hazard Identification

Classified as hazardous according to criteria in the Hazardous Substances (minimum degrees of hazards) Regulations 2001

EPA NZ Approval Code: HSR000826

HSNO Classification 9.1B, 9.2A

GHS Pictogram Hazard Classes

9.1B

Substances that are ecotoxic in the aquatic

environment

9.2A

Substances that are very ecotoxic in the soil

environment

Hazard Statements

9.1B Very toxic to aquatic environment

9.2A Very toxic to the soil environment

Prevention Statements (for more information see section 7)

Keep out of reach of children

Read Label before use

Do not eat, drink or smoke while using

Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using Remove protective clothing and wash hands and face thoroughly before meals and after work Spray drift may cause serious damage to other desirable plants

Section 3 – Composition Information

IN CASE OF EMERGENCY PHONE
National Poisons Centre 0800 POISON (0800 764 766)





Revision: 19-09-18
Original: 19-09-17

Donaghys Ethos

Page 2 of 6

ChemicalCAS No.ContentEthofumesate26225-79-6500 g/lInert IngredientsTrade SecretTo 100%

Section 4 - First Aid Measures

General Keep label or packaging available for emergency personal.

Show this SDS to emergency personal if requested

If swallowed, do NOT induce vomiting.

If Swallowed For advice, contact the National Poisons Centre 0800 POISON (0800

764 766) or a doctor immediately.

If splashed in eyes, wash out immediately with water for at least 15

minutes. If irritation persists, get medical advice.

If skin contact occurs, remove contaminated clothing and flush skin

with running water. If irritation occurs, seek medical advice.

If inhaled If inhaled, move the victim to fresh air immediately. Never give

anything by mouth to an unconscious person.

Section 5 – Fire-fighting Measures

Flashpoint N/A

Combustion Products During a fire toxic fumes may be emitted

Flammability Limits Not determined

Protective Equipment Self-contained breathing apparatus, protective gloves and clothing

Extinguishing Media

Dry chemical, water spray (fog), foam or carbon dioxide

DO NOT use water jet

HazChem Code 3Z

Thermal decomposition

products

Carbon oxides (CO, CO2) Sulphur oxides

Special Fire Fighting

Methods:

Addition of water may cause excessive foaming. Vapours may be

toxic. Self-contained breathing apparatus required. Prevent run off

entering waterways

Section 6 - Accidental Release Measures





Revision: 19-09-18 **Donaghys Ethos** Page 3 of 6 Original: 19-09-17 Exclude all bystanders from the vicinity of the spill and prevent entering waterways. Do not touch or walk through spilled material. Wear the protective equipment recommend in section 8. Stop any leaks or spills when safe to do so. **Spills and Disposal** Dam area and prevent entry into drains, streams, watercourses etc. Collect spilled product and place in properly labeled, sealable containers for disposal. Deal with any spillage immediately. Contamination of drain, streams or watercourses etc. is unavoidable If unavoidable warn the local water authority. Wear protective nitrile rubber gloves, face/eye protection and **Protective Equipment** appropriate half-mask respirator (see section 8). Avoid entry into waterways or streams. Prevent washings from **Environmental**

Section 7- Handling and Storage

Store in original packaging tightly closed and in a locked, dry, well

entering waterways by damming or covering drain entrances, if safe to

ventilated area away from foodstuffs.

When stored according to recommendations this product should not Storage

show signs of degradation for at least two years from the date of

manufacture.

do so.

Keep out of reach of children.

Do not store near waterways. Do not store where damage may occur.

Do not handle until all safety instructions have been read and

understood.

Handling Wear eye / face protection.

> In case of inadequate ventilation wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace. Avoid unintended release to the environment.

This product must be under the control of an approved handler at all

Approved Handler times. For more information see Regulations 4-6 Hazardous

substances (Personnel Qualifications) Regulations 2001.

Tracking regulations N/A

Precautions

Section 8 - Exposure Controls/Personal Protection





Revision: 19-09-18

Original: 19-09-17

Protective

Equipment

Donaghys Ethos

Page 4 of 6

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

Observe good work place practices and avoid contact with skin and eyes. Read the label before using. This substance may be harmful if swallowed inhaled or absorbed through the skin. May cause respiratory sensitisation if inhaled. May cause eye irritation. Avoid contact with eyes.

Avoid contact with skin and eyes and inhalation of spray mist. When applying or mixing wear eye protection, water proof gloves, chemical resistant boots made of material such as rubber, nitrile, polyvinyl chloride and cotton overalls buttoned to the neck and wrist.

Gloves Wear nitrile rubber gloves with a minimum layer thickness of 0.11 mm. Break through time: 480 min This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any

specific use scenario.

Respiratory protection For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under

appropriate government standards

Hygiene Precaution:

Do not eat, drink or smoke when using this product. Be careful not to

contaminate yourself when removing contaminated clothing.

Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below

exposure limits. Avoid inhalation.

Section 9 – Physical and Chemical Properties

Form Liquid

Appearance - colour Light brown viscous liquid

Odour Sweet pН 6.5 - 9Flash point °C N/A **Boiling** point 100°C 70-72°C **Melting point** Flammability limits N/A Oxidising properties N/A **Explosive properties** N/A

Section 10 - Stability and Reactivity

IN CASE OF EMERGENCY PHONE
National Poisons Centre 0800 POISON (0800 764 766)

Version1.0 - Ethos





Donaghys Ethos Revision: 19-09-18 Original: 19-09-17

Page 5 of 6

Stable under normal ambient and anticipated storage and Stability

handling conditions of temperature and pressure.

Hazardous Decomposition

Products

Carbon oxides (CO, CO2) Sulphur oxides (SO2, SO3...)

Products arising from combustion or thermal **Dangerous Reactions**

decomposition may be toxic, corrosive or flammable

Section 11 - Toxicological Information

Acute Oral LD 50 (rats): >2000 mg/kg >4000mg/kg Acute Dermal LD 50 (rat): Acute inhalation LC₅₀ (rats) (4hrs):

> 4,29 mg/lMild irritant

Acute Toxicity (Active ingredient)

Dermal irritation (rat): Eye irritation (rat): Slightly irritant Sensitization: Non Sensitizer Carcinogenicity Non Carcinogenic Mutagenicity: Not mutagenic

Reproduction toxicity: None

Section 12 - Ecological Information

EPA Classification 9.1B, 9.2A

Soil toxicity Unknown

Packaging Disposal

Aquatic toxicity LC_{50} for 22-26,5 mg/l/96h, NOEC 9,3 – 9,7 mg/l/96h

EC₅₀ 70,5 mg/l/48h, NOEC 20mg /l/48h

EC₅₀ 7>35 mg/l/21d, NOEC 11,1 mg /l/21d Toxic to daphnia

Scenedusmus suspicatus EbC₅₀ 6,65 mg/l/72h, ErC₅₀ 12,42 mg/l/72h Toxic to algae

NOEC 3,5 mg/1/72h

Section 13 - Disposal Considerations

Dispose packaging according to the label or at an approved landfill or **Product Disposal**

other approved facility.

Triple rinse containers containing the Agrecovery logo on the label and check that the container is free of all residues (liquid or dry) and have an intact legible label may be taken to an Agrecovery collection site. Otherwise crush or puncture and bury in a suitably landfill. Do not burn empty containers. Discard rinse water on land already sprayed or on

wasteland away from desirable plants and water sources. DO NOT

reuse packaging.

Section 14 – Transport Information

IN CASE OF EMERGENCY PHONE National Poisons Centre 0800 POISON (0800 764 766)





Revision: 19-09-18
Original: 19-09-17

Donaghys Ethos

Page 6 of 6

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S

(Contains Ethofumesate)

UN Number 3082
DG Class: 9
Subsidiary Risk Class N/A
Packing Group III
HAZCHEM Code 3Z

Transport pictogram

Additional Information Marine pollutant

Section 15 - Regulatory Information

EPA NZ Registration Code HSR000826
ACVM Approval Number P9184

Approved handler Required

Tracking requirementsThis product should only be sold to an approved handler

Records of use must be kept under certain circumstances

Record keeping – see the NZ standards for Management of Agrichemicals

(NZS8409) for details.

Section 16 – Other Information

The information in this SDS is provided in good faith, but no warranty, expressed or implied is made. For more information please contact Donaghys LTD.

DONAGHYS NZ 0800 942 006
DONAGHYS AUSTRALIA 1800 644 404

POLICE, AMBULANCE & FIRE SERVICE 111

NATION POISON INFORMATION CENTRE 0800 POSION (0800 764 766)
HAZARDOUS SUBSTANCES EMERGENCY 0800 CHEMCALL (0800 243 622)