



### Section 1 – Identification of the substance/preparation and the company

<b>Product Name</b>	FORMAIZE (Nicosulfuron 750 WDG)
<b>Company</b>	Donaghys Ltd
<b>Address</b>	16 Sheffield Crescent PO Box 20 449 Christchurch
<b>Telephone Number</b>	0800 942 006
<b>Manufacturer Product Code</b>	AFMH0005
<b>ACVM No</b>	P008974
<b>Recommended Use</b>	For post-emergent control of perennial and annual grasses and broadleaf weeds in grain and silage maize crops

### Section 2 – Hazard Identification

<b>GHS label elements</b>	
<b>Hazard classifications</b>	6.4A Causes eye irritation 9.1A Very toxic to fish with long lasting effects. 9.2A Very toxic to the soil environment

**Hazard pictograms**



<b>Signal word</b>	Warning
<b>Prevention statements</b>	P103 Read label before use P264 Wash hands thoroughly after handling. P273 Avoid release to the environment
<b>EPA NZ Approval Code</b>	HSR007864

### Section 3 – Composition Information

**Substance/Mixture:** Mixture

<b>Hazardous components</b>	<b>CAS-No.</b>	<b>Concentration (%)</b>
<b>Chemical name</b>		
Nicosulfuron	111991-09-4	75%
<b>Other ingredients</b>	Not applicable	Up to 100%

### Section 4 – First Aid Measures

<b>Inhalation</b>	Move person to fresh air.
<b>Ingestion</b>	Call the National Poison control centre or doctor immediately for treatment advice. Do NOT induce vomiting.
<b>Skin</b>	Remove contaminated clothing and wash affected areas ok skin. DO NOT SCRUB THE SKIN.

**IN CASE OF EMERGENCY PHONE**  
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)



**Eye**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Section 5 – Fire-fighting Measures**

**Fire And Explosion Hazard**

Not flammable. No risk of an explosion from this product under normal circumstances when involved in a fire.

**Suitable Extinguishing Media**

Dry powder, water spray, carbon dioxide (CO<sub>2</sub>) or foam.

**Special Protective Actions For Fire Fighters**

Remove spectators from surrounding area. Remove container from fire area if possible. Fight fire from maximum distance. For massive fire, use unmanned hose holder or monitor nozzles. Contain fire control agents for later disposal. Use a recommended extinguishing agent for the type of surrounding fire. Water can be used to cool unaffected containers but must be contained for later disposal. Avoid inhaling hazardous vapours. Keep upwind.

**Personal Protective Equipment**

Fire may produce irritating or poisonous vapors, mists or other products of combustion. Fire-fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

**Section 6 – Accidental Release Measures**

**Environmental Precautions:**

Washing must be prevented from entering surface water drains.

**Methods And Materials For Containment And Cleaning Up**

Cover spillage with moist sand, soil or sawdust. Transfer to a container for disposal. Wash the spillage area with water, and flush to a sewer serviced by a wastewater treatment facility, if that facility is permitted to treat such wastewaters. Washings must be prevented from entering surface water drains

**Section 7– Handling and Storage**

**Precautions For Safe Handling:**

Remove sources of naked flame or sparks. Avoid contact with eyes and skin and inhalation of fumes. Use with adequate ventilation. Wash hands before eating, drinking, smoking or using the toilet. Operators should change and wash clothing daily. Remove clothing immediately if the herbicide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean

**IN CASE OF EMERGENCY PHONE**

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)



equipment must be disposed of correctly to avoid contamination.

**Conditions For Safe Storage, Including Any Incompatibilities:**

Store in the original container in a locked, dry, cool, area away from foodstuffs, fertilizers and seeds. Avoid storage at temperatures below 5°C and above 35°C. Stores containing more than 100 Kg of FORMAIZE require signage and more than 100 Kg require emergency response plans.

**Section 8 – Exposure Controls/Personal Protection**

**Personal Precautionary Measures**

**Engineering Measures:**

Ventilation required. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

**Hygiene Measures:**

Wash hands thoroughly after handling. Wash clothing separately before re-use.

**Personal Protective Equipment:**

**Respiratory System:**

During spraying, wear suitable respiratory equipment.

**Skin And Body:**

Wear suitable protective clothing.

**Hands:**

Wear suitable gloves.

**Eyes:**

Wear safety goggles or face shield.

**Section 9 – Physical and Chemical Properties**

**Appearance**

Granule

**Colour**

Off-white

**Odour**

Odourless

**Ph**

4.0-8.0 (1% w/v dilution in water)

**Vapour Pressure**

$8.00 \times 10^{-7}$  mPa at a temperature of 25°C

**Bulk Density:**

0.64-0.67 g/cm<sup>3</sup>

**Section 10 – Stability and Reactivity**

**Chemical Stability**

Relatively stable in neutral, weakly acidic and weakly alkaline media

**Storage Stability**

Stable under normal storage conditions in original container for at least two years

**Compatibility**

Compatible with most herbicide formulations except very strong acid/alkaline formulations

**Hazardous Decomposition Products**

None.

**IN CASE OF EMERGENCY PHONE**

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)



### Section 11 – Toxicological Information

#### Numerical measures of toxicity :

Acute oral LD50:	> 4640 mg/kg
Acute dermal LD50:	> 2150 mg/kg
Acute inhalation LC50 (4h):	> 5.6 mg/L
Skin irritation:	Non-irritating
Eye irritation:	Mild irritant

### Section 12 - Ecological Information

#### Ecotoxicity:

Toxicity to birds	Quail: >2250 mg/kg.
Toxicity to fish:	LC50 (96 hours): Bluegill sunfish >1000 mg/L Rainbow trout >1000 mg/L
Toxicity to bee:	LD50 (Contact): 20 µg/bee
Toxicity to daphnia:	LC50 (48 hours):> 100 mg/L.
Toxicity to algae:	NOEC (96 hours): 100 mg/L
Toxicity to earthworms:	LC50 (14 days): >1000 mg/kg soil

### Section 13 – Disposal Considerations

<b>Product Disposal:</b>	Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations. Donaghys is a member of Agrecovery Container Recycling programme. For details on how to correctly prepare your container and collection sites please visit <a href="http://www.agrecovery.co.nz">www.agrecovery.co.nz</a> .
--------------------------	---

### Section 14 – Transport Information

#### Dangerous Goods Classification

UN Number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains Nicosulfuron)
Road transport:ADR/IRD	
Class	9
Packing group	III
Maritime transport:IMDG/IMO	
Class	9
Packing group	III

### Section 15 – Regulatory Information

ERMA NZ Registration Code:	HSR007864 See <a href="http://www.epa.govt.nz">http://www.epa.govt.nz</a> for approval conditions
----------------------------	--

**IN CASE OF EMERGENCY PHONE**  
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)



SDS NO: SDS AFMH0005	Date: 30.04.2020	Version No:1.0	Page 5 of 5
----------------------	------------------	----------------	-------------

**NZFSA Approval Number:** P008974  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

#### Section 16 – Other Information

The data given here is based on current knowledge and experience. The purpose of this safety data sheets is to describe the products in terms of their safety requirement. The data does not signify any warranty with regard to the products properties.

**IN CASE OF EMERGENCY PHONE**  
**National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)**