

KEEP OUT OF REACH OF CHILDREN. READ LABEL BEFORE USE.

DANGER

DONAGHYS

G2

Cost effective low foam acid detergent and sanitiser for use on dairy rubber, plastic and stainless steel surfaces

Contains: 170 g/L Phosphoric Acid,
114 g/L Sulphuric Acid and a non-QAC sanitiser.

MPI approved for use in farm dairies.

ACID

DONAGHYS
PERFORMANCE FIRST

DONAGHYS G2

MPI approved for use in farm dairies

Cost effective low foam acid detergent and non-QAC sanitiser for use on dairy rubber, plastic and stainless steel surfaces

DANGER

READ LABEL BEFORE USE

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe or spray vapour. Do not mix with Alkali or Chlorinated products, as this may result in the creation of toxic gases.

DIRECTIONS FOR USE

Acid wash only. Please refer to Protosolv for instructions on an alkali wash (minimum twice weekly).

Plant

Compliance requires all milk surfaces to be rinsed with a minimum of 5 litres of compliant water per set of cups before milking. Hot water dump temperatures must be greater than 55°C.

- Dilute **G2** at the rate of 1.5ml per litre of hot water using the wash volumes:
 - Jetter/bucket wash – 10 litres of wash solution per set of cups.
 - Reverse flow – 20 litres of wash solution per set of cups.
- Drain plant.

Bulk Milk Tank

Compliance requires all milk contact surfaces to be rinsed with a minimum of 120 litres of compliant water before milking. Hot water dump temperatures must be greater than 55°C.

- Dilute **G2** at the rate of 1.5ml per litre of hot water (75°C - 85°C) based on the recommended wash volume (refer to table).
- Recycle for 3 minutes (above 65°C).
- Drain Bulk Milk Tank.

Volume of Bulk Milk Tank (Litres)	Hot Water Wash Volume (Litres)
3,400	120
4,500	120
5,700	120
6,800	140
9,100	180
12,000	240
14,000	280
18,000	360
22,000	440
30,000	600

STORAGE

Keep only in original container, tightly closed, away from foodstuffs. If required, store in corrosive resistant container with resistant inner liner. Keep out of direct sunlight. Store locked up in a cool place.

DISPOSAL

Refer to waste Management Authority. Dispose of material through a licensed waste contractor. Dispose of material and its container to hazardous or special waste collection point. Avoid release to the environment. Absorb spillage to prevent material damage.

FIRST AID

If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and then drink plenty of water. Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTRE or doctor/physician.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

National Poisons Centre 24 hour phone: 0800 POISON (0800 764 766)

HAZARDOUS SUBSTANCES CLASSIFICATION

Acute oral toxicity Category 4

Specific target organ toxicity - repeated exposure Category 1

Skin corrosion Category 1C

Serious eye damage Category 1

Hazardous to the aquatic environment chronic Category 4

Hazardous to terrestrial vertebrates

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS PHOSPHORIC ACID AND SULPHURIC ACID)

UN NO: 3264

PACKING GROUP: II

HAZCHEM: 2X

CLASS: 8

ZPLAB854 MAR24 PN-033198-1 VER2

DONAGHYS
PERFORMANCE FIRST

MANUFACTURED AND REGISTERED TO
DONAGHYS LTD.
16 SHEFFIELD CRESCENT,
CHRISTCHURCH, NEW ZEALAND.
FREEPHONE: 0800 942 006, WWW.DONAGHYS.COM

