

FOR ANIMAL TREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

# DONAGHYS

# Iodine

Dairy cattle and sheep mineral supplement



Good Iodine levels are essential for thyroid function and general animal health. Overcoming low Iodine levels can assist with:

- Improved calf growth rate
- Improved condition
- Improved fertility

40mg/ml

**DONAGHYS**  
PERFORMANCE FIRST



# Donaghys Iodine

Help your cows and sheep achieve a higher level of performance with Iodine, the dairy cow and sheep liquid mineral supplement!

## READ LABEL BEFORE USE

Avoid breathing mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. May cause an allergic skin reaction.

## DIRECTIONS

Only for use when there is a confirmed Iodine deficiency.

Ready to use liquid no dilution required.

Can be used in conjunction with Donaghys ProEwe at 2 to 3ml per head.

## DONAGHYS IODINE DOSE RATE

**DO NOT EXCEED THE STATED DOSE RATE AND FREQUENCY**

### Through water supply

Can be added to drinking water via dispenser.

Administer daily at rates not exceeding the following:

For cattle administer 0.1 to 1.2ml per animal per day.

For sheep administer 10 to 45ml per 1000 animals per day\*.

### Oral drenching

Administer orally at rates not exceeding the

following: 3 to 6ml per sheep can be administered

at 8 weeks and again at 4 weeks prior to lambing.

### Foliar application

Pasture spray: 1.5 litres per hectare, wait 3 to 7 days pre-grazing. Spray every 6 weeks.

Brassica feed crops: 3 litres per hectare, wait 3 to 7 days pre-grazing. One spray should be sufficient.

### Supplementary feed

Apply to supplementary feed daily at rates not exceeding the following:

For cattle apply 0.1 to 1.2ml per animal per day.

For sheep apply 10 to 45ml per 1000 animal per day\*.

\*Use the higher levels when on brassica feed.

Key times of supplementation include the last 6 to 8 weeks of pregnancy when the foetal thyroid glands are being formed.

### STORAGE

Keep container closed.

Store in a cool place out of direct sunlight.

### FIRST AID

**Ingestion:** Immediately rinse mouth with water.

Give water to drink, if vomiting occurs give more water. Seek urgent medical advice.

**Eye contact:** Flush eye with water for 15 to 30 minutes. Seek medical attention urgently.

**Skin contact:** Remove contaminated clothing and wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**Inhalation:** Remove individual from exposure, allow to rest in fresh air. Seek medical attention.

If exposed or concerned, get medical advice.

**National Poisons Centre 24 Hour Phone:**  
**0800 POISON (0800 764 766)**

## HAZARDOUS SUBSTANCES CLASSIFICATION GHS7

Skin sensitisation Category 1

Hazardous to the aquatic environment chronic Category 3

## DISPOSAL

Preferably dispose of product by use.

Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations.

ZPLAB797 JUN24 PN-033834-1 VER2

**DONAGHYS**  
PERFORMANCE FIRST

MANUFACTURED AND SOLD BY:  
DONAGHYS LTD  
16 SHEFFIELD CRESCENT  
PO BOX 20 449, HAREWOOD, CHRISTCHURCH  
FREEPHONE: 0800 942 006 WWW.DONAGHYS.COM

