



SDS No: Trivox Sheep

Date: 24.02.2025

Version No: 3.0

Page 1 of 6

Section 1 – Identification of the substance/preparation and the company

Product Name: DONAGHYS TRIVOX SHEEP
Company: Donaghys Ltd
Address: 16 Sheffield Crescent
PO Box 20 449
Christchurch
Telephone Number: 0800 942 006
Manufacturer Product Code: APTSH0020
Recommended Use: For the treatment and control of internal parasites in sheep

Section 2 – Hazard Identification

GHS Classifications: Acute oral toxicity Category 4
Skin sensitisation Category 1
Germ cell mutagenicity Category 2
Reproductive toxicity Category 2
Effects on or via lactation
Specific target organ toxicity- single exposure Category 2
Specific target organ toxicity- repeated exposure Category 2
Hazardous to the aquatic environment acute Category 1
Hazardous to the aquatic environment chronic Category 1
Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates

GHS Pictograms:



Hazard Statements: H302 Harmful if swallowed
H317 May cause an allergic skin reaction
H341 Suspected of causing genetic defects.
H361 Suspected of damaging fertility or the unborn child.
H362 May cause harm to breast-fed children.
H371 May cause damage to organs.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates

Prevention Statements: P102 Keep out of reach of children.
P103 Read label before use.
P201 Obtain special instructions before use.

IN CASE OF EMERGENCY PHONE

New Zealand: National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)
International: INFOTRAC +1-352-323-3500



SDS No: Trivox Sheep

Date: 24.02.2025

Version No: 3.0

Page 2 of 6

Prevention Statements: (Continued)

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe fume/gas/mist/vapours/spray.

P261 Avoid breathing fume/gas/mist/vapours/spray

P263 Avoid contact during pregnancy / while nursing.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves

Response Statements:

P101 If medical advice is needed, have product container or label at hand.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash before re-use.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

Storage: P405 Store locked up.

Signal Word: WARNING

EPA NZ Approval Code: HSR100758
Veterinary Medicines (Non-dispersive Closed System Application)
Group Standard 2020

Section 3 – Composition Information

Chemical Entity	CAS No.	Content [%]
Abamectin	71751-41-2	0.1%
Levamisole HCL	16595-80-5	4%
Oxfendazole	53716-50-0	2.265%
Sodium selenate	13410-01-0	0.05%

Other active ingredients are Copper (2.1 g/L), Zinc (0.6 g/L), cobalt (0.21 g/L), Iodine (0.76 g/L)

IN CASE OF EMERGENCY PHONE

New Zealand: National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

International: INFOTRAC +1-352-323-3500



SDS No: Trivox Sheep	Date: 24.02.2025	Version No: 3.0	Page 3 of 6
----------------------	------------------	-----------------	-------------

Section 4 – First Aid Measures

If swallowed:	NEVER give anything by mouth to an unconscious person. Rinse mouth and give water or milk to drink. Immediately call a POISON CENTRE or doctor/physician.
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so, continue rinsing. Immediately call a POISON CENTRE or doctor / physician.
If on skin:	Wash with plenty of soap and water. Wash contaminated clothing before re-use. If irritation persists, call a POISON CENTRE or doctor/physician.
If inhaled:	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms, immediately call a POISON CENTRE or doctor / physician.
Advice to Doctor:	Treat symptomatically.

If exposed or if you feel unwell: Call the POISON CENTRE or contact a doctor/physician. If medical advice is needed, have product container or label at hand.

POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)

Section 5 – Fire-fighting Measures

Protective Equipment:	Self-contained breathing apparatus must be worn in enclosed areas.
Extinguishing Media:	Sprayed water jet, foam, dry chemical powder, CO ₂ and sand.
Special Fire Fighting Methods:	Do not allow water to enter drains.

Section 6 – Accidental Release Measures

Spills and Disposal:	MAJOR SPILLS Slippery when spilt. Minor hazard. 1: Clear area of personnel. 2: Alert Fire Brigade and tell them location and nature of hazard. 3: Control personal contact by using protective equipment as required. 4: Prevent spillage from entering drains or waterways. 5: Contain spill with sand, earth or vermiculite. 6: Collect recoverable product into labelled containers for recycling. 7: Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal. 8: Wash area and absorb further with inert material. Prevent runoff into drains or waterways. 9: If contamination of drains or waterways occurs, advise emergency services.
-----------------------------	--

IN CASE OF EMERGENCY PHONE

New Zealand: National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)
International: INFOTRAC +1-352-323-3500



Minor Spills:

Slippery when spilt.

- 1: Clean up all spills immediately.
- 2: Avoid breathing vapours and contact with skin and eyes.
- 3: Control personal contact by using protective equipment.
- 4: Contain and absorb spill with sand, earth, inert material or vermiculite.
- 5: Wipe up.
- 6: Place in a suitable labelled container for waste disposal.

Disposal:

- 1: Recycle wherever possible or consult manufacturer for recycling options.
- 2: Consult State Land Waste Management Authority for disposal.
- 3: Treat and neutralise with slaked lime at an effluent treatment plant.
- 4: Recycle containers, otherwise dispose of in an authorised landfill.

Protective Equipment: Wear neoprene gloves and boots, overalls.

Environmental Precautions: Avoid entry into waterways or streams. Prevent washings from entering waterways.

Section 7– Handling and Storage

Storage: Store locked up. Store in original container in a cool well-ventilated locked place. Store away from water, food stuffs, feed or seed. Keep out of reach of children.

Handling: Do not handle until all safety instructions have been read and understood. Wash thoroughly after handling. No eye protection is required under normal conditions, under other conditions use chemical safety goggles. Avoid breathing vapour, mist or spray. Avoid release to the environment.

Section 8 – Exposure Controls/Personal Protection

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

Engineering measures: Use in well-ventilated area.

Protective Equipment: Observe good workplace practices and avoid contact with skin and eyes. Wear overalls, safety glasses and neoprene gloves when handling. Wear eye / face protection. Respiratory protection is not usually required.

Hygiene Precautions: Keep the place of work clean. Avoid contact with product. Keep working clothes separate. Contaminated work clothing should not be allowed out of workplace. Change badly soiled or soaked clothing. Clothing should consist of overalls with long sleeves and impervious gloves.

IN CASE OF EMERGENCY PHONE

New Zealand: National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

International: INFOTRAC +1-352-323-3500



SDS No: Trivox Sheep	Date: 24.02.2025	Version No: 3.0	Page 5 of 6
----------------------	------------------	-----------------	-------------

Hygiene Precautions: (Continued) Wash hands before breaks and at the end of work. Remove contaminated protective clothing. Keep away from food stuffs, drinks and tobacco. Women at risk becoming pregnant, or in early pregnancy should not be directly involved in handling. Wash contaminated clothing before use.

Section 9 – Physical and Chemical Properties

Appearance: Blue to purple suspension
Odour: Specific odour
Specific Gravity: 1.01-1.04
pH: 4.0-5.0

Section 10 – Stability and Reactivity

Stability: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Conditions to Avoid: None.
Materials to Avoid: Store only in the container supplied. Use the recommended delivery equipment.
Hazardous Decomposition Products: None if stored and handled correctly.

Section 11 – Toxicological Information

Acute effects: Abamectin
LD50 (Oral-rats) =8.7-12.8mg/kg
Levamisole
LD50 (Oral- Rat and Mouse) =200mg/kg
Skin irritation: Mild skin irritant
Eye irritation: Eye irritant

Section 12 - Ecological Information

Ecotoxicity (Abamectin): EC50 (other) =0.43mg/L (48hrs) (Eastern oyster)
LC50 (fish) =0.0036mg/L (96hrs) (Rainbow trout)
LOEC (fish) =0.000093mg/L (Rainbow trout)
EC50 (other) =0.00034mg/L (48hrs) (Daphnia magna)
NOEC (other) =0.00003mg/L (21 days) (Daphnia magna)
Bioaccumulative: No
Rapidly degradable: No
Breakdown in water: Abamectin is rapidly degraded in water.
Ecotoxicity (Oxfendazole): EC50 (other) =0.52mg/L (48 hrs) (Daphnia magna)
Ecotoxicity (Sodium Selenate): LC50 (Crustacean) =0.083mg/L (48hrs) (gammarus Pseudolimnaeus Scud)
EC50 (algal) =0.2mg/L (96hrs) (Senastrum capricornutum Green algae)
LC50 (fish) =0.69mg/L (96hrs) (Pimephales promelas Fathead minnow)
NOEC (fish) =0.69mg/L (96hrs) (Pimephales promelas Fathead minnow)

IN CASE OF EMERGENCY PHONE
New Zealand: National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)
International: INFOTRAC +1-352-323-3500



SDS No: Trivox Sheep	Date: 24.02.2025	Version No: 3.0	Page 6 of 6
----------------------	------------------	-----------------	-------------

Ecotoxicity (Sodium Selenate): (Continued) Bioaccumulative: Yes
Rapidly degradable: No
Readily degradable: No
May cause long term adverse effects in the Aquatic environment.

EPA Classification: Hazardous to the aquatic environment acute Category 1
Hazardous to the aquatic environment chronic Category 1
Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates

Section 13 – Disposal Considerations

Product Disposal: If possible, dispose of by using according to the label, otherwise dispose of in an approved landfill or bury below 50 cm in a disposal pit specifically marked and set up for this purpose clear of waterways

Container Disposal: Triple rinse container and add residue to feed system. If circumstances, especially wind direction, permit the empty containers may be burned, otherwise crush and bury in a suitable landfill.

Section 14 – Transport Information

Proper Shipping Name: Environmentally Hazardous Substance, liquid, N.O.S. (0.1% Abamectin, 2.2% Oxfendazole, Selenium)

UN Number: 3082

DG Class: 9

Subsidiary Risk Class: None

Packing Group: III

HAZCHEM Code: 3Z

Marine Pollutant: Yes

Hazardous substances Regulations: Maximum quantity per package permitted on passenger service vehicles 1L.

Section 15 – Regulatory Information

EPA NZ Registration Code: HSR100758
See <http://www.epa.govt.nz> for approval conditions

NZFSA Approval Number: A011598
See www.foodsafety.govt.nz for registration conditions

Section 16 – Other Information

The information in this MSDS is provided in good faith, but no warranty, expressed or implied is made. Contact Donaghys Ltd for more information.

NEW ZEALAND: NATIONAL POISON CENTRE CONTACT: 0800 764 766
INTERNATIONAL: INFOTRAC +1-352-323-3500

IN CASE OF EMERGENCY PHONE
New Zealand: National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)
International: INFOTRAC +1-352-323-3500