



### Section 1 – Identification of the substance/preparation and the company

**Product Name:** Concur Cattle HiMin  
**Company:** Donaghys Ltd  
**Address:** 16 Sheffield Crescent  
PO Box 20 449  
Christchurch  
**Telephone Number:** 0800 942 006  
**Manufacturer Product Code:** ACCA0001 / ACCA0005  
**Recommended Use:** A dual action formulation for the treatment and control of mature and immature stages of all major roundworms, lungworms (including those resistant to either Benzimidazole or Levamisole) and tapeworms in cattle including Type II Ostertagia

### Section 2 – Hazard Identification

**GHS Classification:** Acute oral toxicity Category 4  
Acute inhalation toxicity Category 4  
Skin sensitisation Category 1  
Germ cell mutagenicity Category 2  
Reproductive toxicity Category 2  
Specific target organ toxicity – repeated exposure Category 1  
Hazardous to the aquatic environment chronic Category 2  
Hazardous to soil organisms  
Hazardous to terrestrial vertebrates

**GHS Pictograms:**



**Hazard Statements:** H302 Harmful if swallowed  
H317 May cause an allergic skin reaction  
H332 Harmful if inhaled  
H341 Suspected of causing genetic defects  
H361 Suspected of damaging fertility or the unborn child  
H372 Causes damage to organs through prolonged or repeated exposure  
H411 Toxic to aquatic life with long lasting effects  
H423 Harmful to the soil environment  
H433 Harmful to terrestrial vertebrates

**Prevention Statements:** P102 Keep out of reach of children.  
P103 Read label before use.  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.



<b>Prevention Statements:</b> (Continued)	P273 Avoid release to the environment. P281 Use personal protective equipment as required.
<b>Response Statements:</b>	P101 If medical advice is needed, have product container or label at hand. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 Rinse mouth. P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P391 Collect spillage.
<b>Storage:</b>	P405 Store locked up.
<b>EPA NZ Approval Code:</b>	HSR100758 Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2020
<b>Signal Word:</b>	DANGER

### Section 3 – Composition Information

Chemical Entity	CAS No.	Content
Oxfendazole	53716-50-0	95 g/L
Levamisole	16595-80-5	170 g/L
Cobalt	15137-09-4	<2 g/L
Copper	39208-15-6	20 g/L
Sodium Selenate	13410-01-0	<5 g/L
Zinc Edatate	12519-36-7	10 g/L

### Section 4 – First Aid Measures

<b>If Swallowed:</b>	NEVER give anything by mouth to an unconscious person. Harmful if swallowed. Do NOT induce vomiting. Rinse mouth and give water or milk to drink. Immediately call a POISON CENTRE (0800 764 766) or doctor/physician. If medical advice is needed, have product container or label at hand.
<b>If in eyes:</b>	Wash eyes cautiously for 15 minutes. Remove contact lenses if they are present and it is easy to do so. Continue rinsing. Immediately call a Poison Centre or doctor/physician.
<b>If on skin:</b>	Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
<b>If inhaled:</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing apply mouth-to-mouth resuscitation. Call a POISON CENTRE or doctor/physician if you feel unwell.

If exposed, concerned or if you feel unwell: Call the POISON CENTRE or contact a doctor/physician. If medical advice is needed, have product container or label at hand.  
**POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)**

**IN CASE OF EMERGENCY PHONE**  
**National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)**



### Section 5 – Fire-fighting Measures

- Suitable Extinguishing Media:** Use foam, carbon dioxide, dry powder, water or BCF fire extinguishers.
- Protective Equipment:** Fire fighters should wear a self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Fight fire in the early stages if it is safe to do so.
- Flashpoint:** >93°C
- Further Information:** Make provisions to contain firefighting water. Emits toxic fumes when heated to decomposition.

### Section 6 – Accidental Release Measures

- Spills and Disposal:** Evacuate personnel to safe areas. Remove with liquid binding material (e.g. sand, sawdust or diatomaceous earth). Wash the spill site with water after pick up is complete. Dispose of waste in compliance with local waste disposal regulations. Place used cleaning materials into closable containers. Do not eat, drink or smoke during cleanup operation. Contain spillage. Do not empty into drains or waterways.
- Protective Equipment:** Wear rubber gloves, rubber boots, protective clothing and eye protection.
- Environmental Precautions:** Toxic to aquatic life with long lasting effects. Harmful to the soil environment. Harmful to terrestrial vertebrates. Avoid release to the environment.

### Section 7– Handling and Storage

- Safe handling advice:** Read label carefully and obtain special instructions before use. Do not handle it until all safety precautions have been read and understood. Avoid skin contact. Avoid contact during pregnancy/while nursing.
- Storage conditions:** Store below 25°C and protect from sunlight. Keep containers tightly closed when not in use. Check packaging for leaks and other physical damages. Store locked up and out of reach of children.
- Incompatible Materials:** Do not store or load with explosives or foodstuffs. Avoid strong oxidizing agents.

### Section 8 – Exposure Controls/Personal Protection

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

- Exposure Limits:** N/A
- Protective Equipment:** Observe good workplace practices and avoid contact with skin and eyes. Wear overalls, safety glasses, chemical resistant gloves and safety boots. In case of adequate ventilation, wear respiratory protection.

### IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)



**Hygiene Precautions:** Wash hands thoroughly after handling. Do not eat, drink or smoke while handling. Contaminated work clothing should not be allowed out of the workplace.

**Engineering Controls:** Use in a well-ventilated area, in an area with local exhaust ventilation or wearing an approved vapour respirator.

### Section 9 – Physical and Chemical Properties

**Appearance:** Blue to green suspension  
**Odour:** Slight odour  
**Specific Gravity @ 20°C:** 1.0  
**pH:** 4.3  
**Flash Point:** >93°C

### Section 10 – Stability and Reactivity

**Hazardous Decomposition Products:** None if stored and handled correctly.

### Section 11 – Toxicological Information

**No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label.**

**Acute toxicity:** Acute Toxicity results for the active (Oxfendazole):  
LD50 (Oral): 1600mg/kg (beagle dogs)  
LD50 (Oral): 6400 mg/kg (rats and mice)  
Acute Toxicity results for the active (Levamisole):  
LD50 (Oral): 180 mg/kg (rats)  
LD50 (Oral): 210 mg/kg (mice)

**Ingestion:** May cause nausea, vomiting, abdominal pain, diarrhoea, taste disturbances, fatigue, headache, confusion, lethargy, dizziness, fever, influenza like syndrome, arthralgia, muscle pain, hypotension, vasculitis and skin rash.

**Ocular:** Will irritate eyes, may cause transient stinging or redness.

**Dermal:** Avoid contact with skin as product can be absorbed and produce the same side effects as when swallowed.

**Inhalation:** Side effects are the same as when swallowed.

**Sensitisation:** Contact sensitiser.

### Section 12 - Ecological Information

**Do not allow product to escape into water ways, wastewater and soil environments**

### Section 13 – Disposal Considerations

**Product and container Disposal:** Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations. Donaghys is a member of Agrecovery Container Recycling programme. For details on how to correctly prepare your container and collection sites please visit [www.agrecovery.co.nz](http://www.agrecovery.co.nz).

### IN CASE OF EMERGENCY PHONE

**National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)**



### Section 14 – Transport Information

<b>Proper Shipping Name:</b>	Environmentally Hazardous Substance, liquid, N.O.S. (Levamisole, Oxfendazole, Sodium Selenate)
<b>UN Number:</b>	3082
<b>DG Class:</b>	9
<b>Hazchem Code:</b>	3Z
<b>Packing Group:</b>	III
<b>Flashpoint:</b>	>93°C
<b>Marine pollutant:</b>	Yes
<b>Hazardous substances regulations:</b>	Maximum quantity per package permitted on passenger service vehicles 0.1L.

### Section 15 – Regulatory Information

<b>ERMA NZ Registration Code:</b>	HSR100758 See <a href="http://www.epa.govt.nz">http://www.epa.govt.nz</a> for approval conditions
<b>NZFSA Approval Number:</b>	A009980 See <a href="http://www.foodsafety.govt.nz">www.foodsafety.govt.nz</a> for registration conditions

### Section 16 – Other Information

The information in this MSDS is provided in good faith, but no warranty, expressed or implied is made. Contact Donaghys Ltd for more information.

**EMERGENCY CONTACT No.: 0800 764 766 (National Poisons Information Centre)**

**IN CASE OF EMERGENCY PHONE**  
**National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)**