

KEEP OUT OF REACH OF CHILDREN. FOR ANIMAL TREATMENT ONLY

DANGER

DONAGHYS

Uddersan



Teat Sanitiser with added Emollient and Iodophor Iodine protection to assist in the control of mastitis and maintenance of teat condition in dairy cows

Contains: 20 g/L available Iodine and 194 g/L emollient.

TEAT

DONAGHYS
PERFORMANCE FIRST

DONAGHYS UDDERSAN

Teat sanitiser with added Emollient and Iodophor Iodine protection to assist in the control of mastitis and maintenance of teat condition in dairy cows

DANGER

READ LABEL BEFORE USE

Wear protective gear including gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. In case of inadequate ventilation wear respiratory protection. Do not breathe vapour or spray. Do not eat, drink or smoke when using this product. This material may be harmful if swallowed. For animal treatment only.

DIRECTIONS FOR USE

It is recommended to spray cow teats after each milking throughout the dairy season. During spring, after calving, in wet muddy conditions or when clinical cases are high use the HIGH RISK dilution to give 5000 mg/litre of Iodine. In summer as a preventative from environmental contamination use the LOW RISK dilution. This gives a maintenance level of 2000 mg/litre of Iodine. EMOLAN may be used to replace up to 20% of the water when teat skin requires extra emollient.

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label

High Risk

Mix one part UDDERSAN Teat Sanitiser with three parts cold water. Spray teats after milking, ensuring complete coverage of the teat end.

Low Risk

Mix one part UDDERSAN Teat Sanitiser with nine parts cold water. Spray teats after milking, ensuring complete coverage of the teat end.

STORAGE

Keep only in original container, tightly closed, away from foodstuffs. If required store in corrosive resistant container with a resistant inner liner. Keep out of direct sunlight. Store locked up in a cool place.

DISPOSAL

Refer to Waste Management Authority. Dispose of material through a licensed waste constructor. Dispose of this material and its container to a hazardous or special waste collection point. Avoid release to the environment. Absorb spillage to prevent material damage.

FIRST AID

If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth and drink plenty of water. Call a POISON CENTRE or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician. If you feel unwell

IF EXPOSED OR IF YOU FEEL UNWELL:
Call a POISON CENTRE or doctor/physician.

**National Poisons Centre 24 hours phone:
0800 POISON (0800 764 766)**

HAZARDOUS SUBSTANCES CLASSIFICATION

6.5B	May cause allergic or asthma symptoms or breathing difficulties if inhaled.
6.9B (Oral)	May cause damage to organs.
8.2C	Corrosive to skin.
8.3A	Corrosive to eyes.
9.1B	Harmful to aquatic life with long lasting effects.
Class: 8	

ZPAAPM811 D/P 04/16

DONAGHYS

PERFORMANCE FIRST

MANUFACTURED AND REGISTERED TO:

DONAGHYS LTD.

16 SHEFFIELD CRESCENT, PO. BOX 20449, HAREWOOD,
CHRISTCHURCH, NEW ZEALAND

FREEPHONE: 0800 942 006, WWW.DONAGHYS.COM

REGISTERED PURSUANT TO THE ACVM ACT 1997 NO. A006875.

SEE WWW.FOODSAFETY.GOVZ.NZ FOR REGISTRATION CONDITIONS.

